

GALVIN CODE: BBEHD180***

BALL BEARING SLIDES HEAVY DUTY

FULL EXTENSION HEAVY DUTY LOAD CLASS 180KG



SIDE MOUNTED

Slide Clearance - 19,30mm.

Height - 77.22 mm.

Loading - 180kgs based on side mount, and drawer dimension W 1000mm x 450mm, guaranteed 10,000 cycles, double-folded inner and intermediate member.


Size - 500mm though 900mm at 100mm increments.

Feature - Extra heavy load, extremely silent movement. Silencing bumpers. Exclusive Lock In & out mechanism.

Packaging

- 500mm to 600mm contain 4 pairs per carton
- 700mm to 900mm contain 2 pairs per carton

PROFILE




SPECIFICATIONS

SIZE	SL	TL	A	B	C	F	G	H	M	N	P	Q	CODE
500MM	508.0	508.0	88.9	152.4			344.5					387.3	4212881
600MM	609.6	609.6	88.9	152.4		360.4	446.1	25.4				488.9	4212882
700MM	711.2	711.2	88.9	152.4		462.0	547.7	25.4				590.5	4212883
800MM	812.8	812.8	88.9	152.4	330.2	563.6	649.3	25.4	215.8	374.6	533.4	692.1	4212884
900MM	914.4	914.4	88.9	152.4	330.2	665.2	750.9	25.4	215.8	425.4	635.0	793.7	4212885

Osborne Park: 39 Howe Street.
Bunbury: 12 Sylvan Way
Wangara: U-2 6 Ismail Street
Thebarton: 14 Murray Street

Ph 08 9446 6333 Fax 08 9446 8865
Ph 08 9725 4812 Fax 08 9725 4809
Ph 08 9309 6333 Fax 08 9309 6899
Ph 08 8352 1888 Fax 08 8352 1666


FULL EXTENSION HEAVY DUTY LOAD CLASS 180KG




**HEAVY
DUTY**

Technical Specifications for drawer or pull-out shelf

- 1 – Drawer or pull-out shelf side clearance must be at least 19.30 mm. (DIM A)
- 2 – Bottom of drawer or pull-out shelf bottom shall have 6.4 mm minimum clearance from the bottom of Cabinet. (DIM B)



- 3 – Mark a center line with proper height (H) from the bottom of cabinet. (DIM C)
- 4 – Mark a center line with proper height (H-6.4 mm) from the bottom of drawer. (DIM D)




Galvin Hardware Pty Ltd
Bunbury: 12 Sylvan Way
Wangara: U-2 6 Ismail Street
Thebarton: 14 Murray Street

Phone 08 9446 6333 Fax 08 9446 8865
Ph 08 9725 4812 Fax 08 9725 4809
Ph 08 9309 6333 Fax 08 9309 6899
Ph 08 8352 1888 Fax 08 8352 1666


FULL EXTENSION HEAVY DUTY LOAD CLASS 180KG

Installation Instructions

A – Press the lever down to release the slide from lock close to access the mounting holes on outer member.



B – Fix the drawer member through vertical slots for vertical adjustment. Leave the screw loose for final adjustment.



Final Adjustment

Try to open and close the drawer to see if slides function correctly. If so, install more screws through round holes for better loading performance as necessary. If not, please make adjustment till slides function correctly.

*This instruction is for reference only. It may vary due to different applications.

Osborne Park: 39 Howe Street.
Bunbury: 12 Sylvan Way
Wangara: U-2 6 Ismail Street
Thebarton: 14 Murray Street

Ph 08 9446 6333 Fax 08 9446 8865
Ph 08 9725 4812 Fax 08 9725 4809
Ph 08 9309 6333 Fax 08 9309 6899
Ph 08 8352 1888 Fax 08 8352 1666