

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.04.2021

 1.4
 21.09.2021
 100000012752
 Date of first issue: 06.08.2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : MAXBOND
Product code : 100000012752

Manufacturer or supplier's details

Company : H.B. Fuller Company Australia Pty. Ltd.

Address : 16-22 Red Gum Drive Dandenong South, VIC 3175

Telephone : +611800423855

Emergency telephone number : 1800 033 111(AU) 0800 734 607(NZ)

Recommended use of the chemical and restrictions on use

Recommended use : Solvent based adhesive

Restrictions on use : For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 2

Skin corrosion/irritation : Category 2

Specific target organ toxicity - :

single exposure

Category 3 (Respiratory system)

Aspiration hazard : Category 1

GHS label elements

Hazard pictograms :





Signal word : Danger



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.04.2021

 1.4
 21.09.2021
 100000012752
 Date of first issue: 06.08.2020

Hazard statements : H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H335 May cause respiratory irritation.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking. P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting equip-

ment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P261 Avoid breathing mist or vapours.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediate-

ly all contaminated clothing. Rinse skin with water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/

doctor if you feel unwell.

P331 Do NOT induce vomiting.

P332 + P313 If skin irritation occurs: Get medical advice/ atten-

tion.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.04.2021

 1.4
 21.09.2021
 100000012752
 Date of first issue: 06.08.2020

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
kaolin	1332-58-7	>= 30 -< 60
Naphtha (petroleum), hydrotreated light	64742-49-0	>= 20 -< 30
Solvent naphtha (petroleum), light arom. (Con-	64742-95-6	>= 1 -< 10
tains less than 0.1 % w/w benzene)		
ethanol	64-17-5	< 10
mica	12001-26-2	< 10
quartz (SiO2)	14808-60-7	< 10

SECTION 4. FIRST AID MEASURES

General advice : Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water at least 15 minutes. Get medical atten-

tion if eye irritation develops or persists.

If swallowed : Do NOT induce vomiting.

If victim is fully conscious, give a cupful of water.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

Most important symptoms and effects, both acute and

delayed

None known.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Specific hazards during fire-

fighting

: Cool closed containers exposed to fire with water spray.



Version Revision Date: 1.4 21.09.2021

SDS Number: 100000012752

Date of last issue: 26.04.2021 Date of first issue: 06.08.2020

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Hazchem Code : •3Y

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- :

tive equipment and emergency procedures

Remove all sources of ignition.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Methods and materials for

containment and cleaning up

Soak up with inert absorbent material.

Sweep up and shovel into suitable containers for disposal.

Non-sparking tools should be used.

SECTION 7. HANDLING AND STORAGE

Local/Total ventilation : Use only with adequate ventilation.

Advice on protection against

fire and explosion

Keep away from open flames, hot surfaces and sources of

ignition.

Mixture may charge electrostatically: always use earthing leads when transferring from one container to another.

Keep in a bunded area.

Keep away from sources of ignition - No smoking.

Take measures to prevent the build up of electrostatic charge.

Use explosion-proof equipment.

Use only in area provided with appropriate exhaust ventilation.

Vapours may form explosive mixtures with air.

Advice on safe handling : Avoid inhalation of vapour or mist.

Do not use in areas without adequate ventilation. Keep away from fire, sparks and heated surfaces.

Keep container closed when not in use.

Take precautionary measures against static discharges.

Hygiene measures : Avoid contact with skin, eyes and clothing.

Provide adequate ventilation.

Conditions for safe storage : Take measures to prevent the build up of electrostatic charge.

Use explosion-proof equipment.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep away from sources of ignition - No smoking.



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.04.2021

 1.4
 21.09.2021
 100000012752
 Date of first issue: 06.08.2020

Solvent vapours are heavier than air and may spread along

floors.

Materials to avoid : Strong oxidizing agents

Further information on stor-

age stability

Stable under normal conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
kaolin	1332-58-7	TWA	10 mg/m3	AU OEL	
		TWA (Respirable particulate matter)	2 mg/m3	ACGIH	
Naphtha (petroleum), hy- drotreated light	64742-49-0	TWA	900 mg/m3	AU OEL	
ethanol	64-17-5	TWA	1,000 ppm 1,880 mg/m3	AU OEL	
		TWA	1,000 ppm	ACGIH	
		STEL	1,000 ppm	ACGIH	
mica	12001-26-2	TWA	2.5 mg/m3	AU OEL	
		TWA (Respirable particulate matter)	0.1 mg/m3	ACGIH	
quartz (SiO2)	14808-60-7	TWA (Respirable dust)	0.05 mg/m3	AU OEL	
	Further information: Category 1A (Carc. 1A) Known to have carcinogenic potential for humans				
		TWA (Respirable particulate matter)	0.025 mg/m3	ACGIH	
toluene	108-88-3	TWA	50 ppm 191 mg/m3	AU OEL	
	Further information: Skin absorption				
		STEL	150 ppm 574 mg/m3	AU OEL	
	Further information: Skin absorption				
		TWA	20 ppm	ACGIH	



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.04.2021

 1.4
 21.09.2021
 100000012752
 Date of first issue: 06.08.2020

During normal handling of the product, this substance is encapsulated within the product and will

not present a cancer exposure risk.

kaolin	1332-58-7	TWA	10 mg/m3	AU OEL		
		TWA (Res-	2 mg/m3	ACGIH		
		pirable par-				
		ticulate mat-				
		ter)				
Naphtha (petroleum), hy-	64742-49-0	TWA	900 mg/m3	AU OEL		
drotreated light						
ethanol	64-17-5	TWA	1,000 ppm	AU OEL		
			1,880 mg/m3			
		TWA	1,000 ppm	ACGIH		
		STEL	1,000 ppm	ACGIH		
mica	12001-26-2	TWA	2.5 mg/m3	AU OEL		
		TWA (Res-	0.1 mg/m3	ACGIH		
		pirable par-				
		ticulate mat-				
		ter)				
quartz (SiO2)	14808-60-7	TWA (Res-	0.05 mg/m3	AU OEL		
		pirable dust)				
	Further inform	Further information: Category 1A (Carc. 1A) Known to have car-				
	cinogenic pote	cinogenic potential for humans				
		TWA (Res-	0.025 mg/m3	ACGIH		
		pirable par-				
		ticulate mat-				
		ter)				

Engineering measures : Use local exhaust ventilation or other engineering controls to

minimize exposures.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Organic vapour type

Hand protection

Material : Solvent-resistant gloves

Eye protection : Safety glasses with side-shields

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.04.2021

 1.4
 21.09.2021
 100000012752
 Date of first issue: 06.08.2020

Colour : tan

Odour : solvent-like

Odour Threshold : No data available

pH : Not applicable

Melting point/freezing point : is not determined

Boiling point/boiling range : is not determined

Flash point : -1 °C

Evaporation rate : is not determined

Upper explosion limit / Upper

flammability limit

Upper flammability limit

is not determined

Lower explosion limit / Lower

flammability limit

Lower flammability limit

is not determined

Vapour pressure : is not determined

Density : 1.060 g/cm3

Solubility(ies)

Water solubility : is not determined

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : is not determined

Viscosity

Viscosity, dynamic : is not determined

Viscosity, kinematic : is not determined

SECTION 10. STABILITY AND REACTIVITY

Chemical stability : The product is chemically stable.

Possibility of hazardous reac- : Hazardous polymerisation does not occur.



Version Revision Date: 1.4 21.09.2021

SDS Number: 100000012752

Date of last issue: 26.04.2021 Date of first issue: 06.08.2020

tions

Conditions to avoid : Heat, flames and sparks.

Hazardous decomposition

products

Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:

Solvent naphtha (petroleum), light arom. (Contains less than 0.1 % w/w benzene):

Acute inhalation toxicity : LC50 (Rat): 3400 ppm

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2,000 mg/kg

ethanol:

Acute inhalation toxicity : LC50 (Rat): 1,500 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Skin corrosion/irritation

Product:

Remarks : No data available

Serious eye damage/eye irritation

Product:

Remarks : No data available

Chronic toxicity

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: No data available

Carcinogenicity

Product:



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.04.2021

 1.4
 21.09.2021
 100000012752
 Date of first issue: 06.08.2020

Remarks : No data available

Components:

Solvent naphtha (petroleum), light arom. (Contains less than 0.1 % w/w benzene):

Carcinogenicity - Assess- : Classified based on benzene content < 0.1% (Regulation (EC)

ment 1272/2008, Annex VI, Part 3, Note P)

Reproductive toxicity

Product:

Effects on fertility : Remarks: No data available

STOT - single exposure

Product:

Remarks : No data available

STOT - repeated exposure

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Solvent naphtha (petroleum), light arom. (Contains less than 0.1 % w/w benzene):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 9 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

: EUSU

EC50 (Daphnia magna (Water flea)): 6 mg/l

Exposure time: 48 h

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.04.2021

 1.4
 21.09.2021
 100000012752
 Date of first issue: 06.08.2020

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of as hazardous waste in compliance with local and

national regulations.

The hazard and precautionary statements displayed on the

label also apply to any residues left in the container.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 1133
Proper shipping name : ADHESIVES

Class : 3
Packing group : III
Labels : 3

IATA-DGR

UN/ID No. : UN 1133
Proper shipping name : Adhesives

Class : 3 Packing group : III

Labels : Flammable Liquids

366

Packing instruction (cargo

aircraft)

Packing instruction (passen- : 355

ger aircraft)

IMDG-Code

UN number : UN 1133
Proper shipping name : ADHESIVES

Class : 3
Packing group : III
Labels : 3
EmS Code : F-E

EmS Code : F-E, S-D Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.04.2021

 1.4
 21.09.2021
 100000012752
 Date of first issue: 06.08.2020

UN number : UN 1133
Proper shipping name : ADHESIVES

Class : 3
Packing group : III
Labels : 3
Hazchem Code : •3Y

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : Scheduling of Medicines and

Delegating of Medicines and

Poisons

Schedule 5

Prohibition/Licensing Requirements : quartz (SiO2)

Refer to model WHS Act and Regulations for prohibition, authorisation

and restricted use.

The components of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

DSL : All components of this product are on the Canadian DSL

REACH : Not in compliance with the inventory

AIIC : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.04.2021

 1.4
 21.09.2021
 100000012752
 Date of first issue: 06.08.2020

IECSC : Not in compliance with the inventory

TCSI : Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

Further information

Revision Date : 21.09.2021

Contact Point : Prepared by: Global Regulatory Office - phone: 1-651-236-

5842 - email: msds.request@hbfuller.com

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

AU OEL : Australia. Workplace Exposure Standards for Airborne Con-

taminants.

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

AU OEL / TWA : Exposure standard - time weighted average AU OEL / STEL : Exposure standard - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substanc-



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.04.2021

 1.4
 21.09.2021
 100000012752
 Date of first issue: 06.08.2020

es; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN